

To whom it may concern,

I certify that the attached formaldehyde emissions test (AS/NZS 4266.1: 2017) applies to Laminex Acrylic Panel.

As of October 2019, Laminex Acrylic Panel is the updated name of the product previously known as Melteca Acrylic Soft Touch

Sincerely,

Ferran de Miguel Mercader

Sustainability Business Partner

Laminex New Zealand

m. +64 22 353 1377

e. ferran.dmm@laminex.co.nz

a. 1 O'Rorke Road, Penrose, Auckland 1642

laminex.co.nz



NATA Accredited Laboratory

Accreditation No: 15305

Accredited for compliance with
ISO/IEC 17025 - Testing

Laminex[®]

a division of Laminex Group Pty Ltd ABN 98 004 093 092

The Laminex Group Technology Centre

Postal Address: PO BOX 720, Wendouree, Vic 3355

Address: 22 Trewin St, Wendouree, Vic 3355

Telephone: (03) 5337 3613

Fax: (03) 5337 3647

Test Report No.
1822762

Date of Issue
22/06/2018

Client:
Laminex New Zealand
1 O'Rorke Rd
Penrose
Auckland 1642
New Zealand

This test report shall not be reproduced, except in full,
without written approval from The Laminex Group Technology Centre


The material contained in this report is confidential to the entity identified as 'Client' above.

Test Report No. 1822762

Date of Issue: 22/06/2018

Laminex Sample Reference No.	22762
Client Sample Reference No.	Melteca Acrylic Soft Touch
Product Description:	16mm MR E0 MDF core.
Surface Treatment	Decorated with White acrylic sheet both sides
Receive Date:	14/06/2018
Condition:	Good

Sample photograph



Specification Standard	AS/NZS 1859.2:2017
Product Classification	>12 to 22mm MR E0 MDF

Test	Method	Unit	Result		Product limit		Compliance
			Mean	Std Dev	Limit Value	Standard Clause	
Formaldehyde Emission	AS/NZS 4266.1: 2017 Section 17	mg/L	0.14	0.00	Maximum 0.5 (E0)	6.3 Table 1	PASS E0

Emission Class E0: PASS

Comments
None

Approved Signatory:
Laboratory Manager (J. Smolenaers)...